ALBERTA OIL SANDS INDUSTRY

QUARTERLY UPDATE

SPRINC 2009

(Reporting on the period: Feb. 2, 2009 to Mar. 23, 20



All about the oil sands

Background of an important global resource



TABLE OF CONTENTS

- All about the oil sands

 Background of an important global
- 03 Mapping the oil sands
- 04 Government Update
- NEWS: What's new in the oil sands Key updates from Spring 2009
- Project listings
 Updated status of oil sands
 projects in Alberta
- 14 Glossary of oil sands terms

Alberta has the second-largest deposit of oil in the world—only Saudi Arabia can claim a larger stockpile of crude. But 173 billion of Alberta's 179 billion barrels of oil have the special quality of being bitumen, a resource that has been developed for decades but is only now coming into the forefront of the global energy industry, as conventional supplies—so-called "easy" oil—continue to be depleted. The figure of 173 billion barrels represents what is considered economically recoverable with today's technology, but with new technologies, this reserve estimate could be increased to as much as 315

There are three major bitumen (or oil sands) deposits in Alberta. The located in the province's northeast in the Regional Municipality of Wood Buffalo. The main population centre of the Athabasca deposit is the City of Fort McMurray. The second-largest oil sands deposit is referred to as Cold Lake, just south of Athabasca, with the main population centre the City of Cold Lake. The smallest oil sands deposit is known as Peace River, which is located in northwest central Alberta. A fourth deposit called Wabasca links to the Athabasca and is generally lumped in with that area.

The existence of bitumen in Alberta has been known for a long time. The first mention of it in Canadian history was in 1719, when a Cree named Wapasu brought a sample of the "gum" to a Hudson's Bay trading post. First Nations in what is now the Wood Buffalo area had traditionally used the bitumen, which seeps from outcrops along the Athabasca River, to waterproof their canoes.

Today bitumen is produced as an energy source by two means—mining and in situ. The majority of oil sands production is done by surface mining, but this will likely change in the future,

as 80 per cent of Alberta's bitumen deposits are too deep underground to economically employ this technology.


Right now there are essentially two commercial methods of in situ (Latin for "in place," essentially meaning wells are used rather than trucks and shovels). In cyclic steam stimulation (CSS), high-pressure steam is injected into directional wells drilled from pads for a period of time, then the steam is left to soak in the reservoir for a period, melting the bitumen, and then the same wells are switched into production mode, bringing the bitumen to the surface.

In steam assisted gravity drainage (SAGD), parallel horizontal well poirs are drilled from well pads at the surface. One is drilled near the top of the target reservoir, while the other is drilled near its bottom. Steam is injected into the top well, a steam chamber forms, and via gravity, the melted bitumen flows into the lower well and is pumped to the surface using artificial lift.


Both SAGD and CSS are used in the Cold Lake and Peace River deposits, while SAGD is the in situ technology of choice in the Athabasca deposit. The choice is based on a number of things including geology. The technologies combined current by produce just over one million barrels per day.

Research is underway on a number of other production technologies designed to optimize production and minimize water and energy use, including vapour extraction (VAPEX), and a form of in situ combustion known as toe to heel air injection (THAI).

Bitumen that has not been processed, or "upgraded," can be used directly as asphalt. It must be diluted to travel by pipeline. Adding value, some producers upgrade their product into synthetic crude oil (SCO), which is a refinery feedstock. At these refineries it can be transformed into transportation fuels and other products. •



ALBERTA'S INDUSTRIAL HEARTLAND



All about the oil sands

Background of an important global resource



TABLE OF CONTENTS

- All about the oil sands
 Background of an important global
 resource
- 03 Mapping the oil sands
- 04 Government Update
- NEWS: What's new in the oil sands Key updates from Spring 2009
- Project listings
 Updated status of oil sands
 projects in Alberta
- 14 Glossary of oil sands terms

Alberta has the second-largest deposit of oil in the world—only Saudi Arabia can claim a larger stockpile of crude. But 173 billion of Alberta's 179 billion barrels of oil have the special quality of being bitumen, a resource that has been developed for decades but is only now coming into the forefront of the global energy industry, as conventional supplies-so-called "easy" oilcontinue to be depleted. The figure of 173 billion barrels represents what is considered economically recoverable with today's technology, but with new technologies, this reserve estimate could be increased to as much as 315 billion barrels.

There are three major bitumen (or oil sands) deposits in Alberta. The largest is the Athabasca deposit. located in the province's northeast in the Regional Municipality of Wood Buffalo. The main population centre: of the Athabasca deposit is the City of Fort McMurray. The second-largest oil sands deposit is referred to as Cold Lake, just south of Athabasca, with the main population centre the City of Cold Lake. The smallest oil sands deposit is known as Peace River, which is located in northwest central Alberta, A fourth deposit called Wabasca links to the Athabasca and is generally lumped in with that area.

The existence of bitumen in Alberta has been known for a long time. The first mention of it in Canadian history was in 1719, when a Cree named Wapasu brought a sample of the "gum" to a Hudson's Bay trading post. First Nations in what is now the Wood Buffalo area had traditionally used the bitumen, which seeps from outcrops along the Athabasca River, to waterproof their canoes.

Today bitumen is produced as an energy source by two means—mining and in situ. The majority of oil sands production is done by surface mining, but this will likely change in the future,

as 80 per cent of Alber ta's bitumen deposits are too deep underground to economically employ this technology.


Right now there are essentially two commercial methods oil in situ (Latin for "in place," essentially meaning wells are used rather than trucks and shovels). In cyclic steam stimulation (CSS), high-pressure steam is linjected into directional wells drilled from pads for a period of time, then the steam is left to soak in the reservoir for a period, melting the bitumen, and then the same wells are switched into production mode, bringing the bitumen to the surface.

In steam assisted gravity drainage (SAGD), parallel horizontal well pairs are drilled from well paids at the surface. One is drilled near the top of the target reservoir, while the other is drilled near its bottom. Steam is injected into the top well, a steam chamber forms, and via gravity, the melted bitumen flows into the lower well and is pumped to the surface using artificial lift.

Both SAGD and CSS are used in the Cold Lake and Peace River deposits, while SAGD is the in situ technology of choice in the Athabasca deposit. The choice is based on a number of things including geology. The technologies combined currently produce just over one million barrels per day.

Research is underway on a number of other production technologies designed to optimize production and minimize water and energy use, including vapour extraction (VAPEX), and a form of in situ combustion known as toe to heel air injection (THAI).

Bitumen that has not been processed, or "upgraded," can be used directly as asphalt. It must be diluted to travel by pipeline. Adding value, some producers upgrade their product into synthetic crude oil (SCO), which is a refinery feedstock. At these refineries it can be transformed into transportation fuels and other products. •



Government update



In February, the
Government of
Alberta released its
20-year strategic
plan for Alberta's oil
sands, which aims to
reduce the industry's
environmental
footprint, optimize
economic growth,

and improve the quality of life in Alberta's oil sands regions. Responsible Actions: A Plan for Alberta's Oil Sands outlines an integrated approach for all levels of government, industry, and for communities to address the economic, social, and environmental challenges and opportunities in the oil sands regions. In the near term, it identifies priority actions, some of which are already underway, to address immediate challenges associated with oil sands development.

The plan showcases current efforts such as carbon capture and storage, and strengthens the approach for land reclamation, cumulative effects management, and environmental conservation. The plan also looks to the future to guide long-term investment in social and physical infrastructure and innovative technology, and to reduce the environmental footprint associated with oil sands development. The strategy is closely aligned with provincial and regional initiatives such as the Provincial Energy Strategy and the Land-use Framework. The strategy can be found at http://treasuryboard.alberta.ca/ResponsibleActions.cfm.

Also in February, the Energy Resources Conservation Board (ERCB) issued a directive that outlines new industry-wide criteria for managing oil sands tailings, and specific enforcement actions if tailings performance targets are not met. The Tailings Performance Criteria and Requirements for Oil Sands Mining Schemes directive requires operators to:

- prepare tailings plans and report on tailings ponds annually,
- reduce the accumulation of fluid tailings by capturing fines and placing them in a deposit that is trafficable, and
- specify dates for construction, use, and closure of fluid tailings ponds and file these dates with the ERCB by Sept. 30, 2009.

The same directive also contains new rules pertaining to Dedicated Disposal Areas. These are areas dedicated to the deposition of captured fines, which are more solid in composition than liquid tailings and must be trafficable and ready for reclamation five years after deposits have ceased. The new directive can be found at www.ercb.ca.

The ERCB is also working with Alberta Environment. Together they are calling for feedback from stakeholders on a draft directive, which proposes new requirements for the measurement, reporting, and use of water in thermal in situ oil sands operations that will save an estimated 220.5 million barrels of fresh water over the next 10 years. When finalized and implemented, the directive will regulate thermal in situ oil sands operations in all oil sands areas. The proposed directive will require in situ operators to limit the use of fresh and brackish water resources and maximize produced water recycling, improve the measurement and reporting of all major water streams, and minimize the disposal of water to improve water and energy efficiency and reduce the risk of contamination to water resources. This draft directive represents one step towards achieving an overall provincial target of a 30 per cent improvement in water efficiency and productivity by 2015 (from a 2005 baseline), as set out in Water for Life: Alberta's Strategy for Sustainability. To view the draft directive, please visit www.ercb.ca or www. environment.alberta.ca.

The Government of Alberta has announced a new three-point incentive program designed to help keep Albertans working in the province's energy sector during the current global economic slowdown.

The highlights of the province's three-point plan include the following.

1 A drilling royalty credit for new conventional oil and natural gas wells. This one-year program will provide a royalty credit of \$200 per metre drilled to companies on a sliding scale based on their production levels from last year. This will ensure that the maximum benefits will be available for small and mid-sized producers, while freeing up available capital for all companies.



- A new well incentive program, which offers a maximum five per cent royalty rate for the first year of production from new oil or gas wells. This one-year program is intended to help free up cash flow, and in turn, help provide access to the capital necessary for reinvestment by Alberta's oil and gas industry.
- To encourage the cleanup of inactive oil and gas wells, the province will invest \$30 million in a fund committed to abandoning and reclaiming old wellsites. This will reduce the environmental footprint of the energy sector by returning wellsites to their former states, while also helping to keep industry service crews at work.

Alberta Energy Research Institute (AERI) has entered into the second phase of the Hydrocarbon Upgrading Demonstration Program (HUDP). The HUDP supports selected joint Alberta governmentindustry initiatives to develop and demonstrate advanced technologies for upgrading Alberta's coal, bitumen, and heavy oil resources to high-value products. The first phase of the HUDP, completed in mid-2006, identified an initial set of technologies with the best potential for further development and demonstration. The second phase of the plan is to develop and demonstrate next generation "clean" upgrading technologies as they apply to Alberta hydrocarbons such as oil sands, coal, and petroleum coke. For more information about the HUDP program please visit www.aeri.ab.ca.

The 9th annual National Buyer/Seller Forum, a joint government/industry supply chain development initiative, was held in Edmonton on Feb. 10-12. Over 700 oil sands developers, manufacturers, and suppliers from across Canada and the globe met to generate new business and share best practices in the oil sands sector. Presenters included Premier Ed Stelmach, as well as Alberta oil sands industry representatives and stakeholders. Speakers shared insights on oil sands development, how it is being managed from public and private sector perspectives, and how new economic realities are affecting the industry. Alberta's oil sands strategy Responsible Actions: A Plan for Alberta's Oil Sands was announced at the forum. .



Government update



In February, the
Government of
Alberta released its
20-year strategic
plan for Alberta's oil
sands, which aims to
reduce the industry's
environmental
footprint, optimize
economic growth,

and improve the quality of life in Alberta's oil sands regions. Responsible Actions: A Plan for Alberta's Oil Sands outlines an integrated approach for all levels of government, industry, and for communities to address the economic, social, and environmental challenges and opportunities in the oil sands regions. In the near term, it identifies priority actions, some of which are already underway, to address immediate challenges associated with oil sands development.

The plan showcases current efforts such as carbon capture and storage, and strengthens the approach for land reclamation, cumulative effects management, and environmental conservation. The plan also looks to the future to guide long-term investment in social and physical infrastructure and innovative technology, and to reduce the environmental footprint associated with oil sands development. The strategy is closely aligned with provincial and regional initiatives such as the Provincial Energy Strategy and the Land-use Framework. The strategy can be found at http://treasuryboard.alberta.ca/ResponsibleActions.cfm.

Also in February, the Energy Resources Conservation Board (ERCB) issued a directive that outlines new industry-wide criteria for managing oil sands tailings, and specific enforcement actions if tailings performance targets are not met. The Tailings Performance Criteria and Requirements for Oil Sands Mining Schemes directive requires operators to:

- prepare tailings plans and report on tailings ponds annually,
- reduce the accumulation of fluid tailings by capturing fines and placing them in a deposit that is trafficable, and
- specify dates for construction, use, and closure of fluid tailings ponds and file these dates with the ERCB by Sept. 30, 2009.

The same directive also contains new rules pertaining to Dedicated Disposal Areas. These are areas dedicated to the deposition of captured fines, which are more solid in composition than liquid tailings and must be trafficable and ready for reclamation five years after deposits have ceased. The new directive can be found at www.ercb.ca.

The ERCB is also working with Alberta Environment. Together they are calling for feedback from stakeholders on a draft directive, which proposes new requirements for the measurement, reporting, and use of water in thermal in situ oil sands operations that will save an estimated 220.5 million barrels of fresh water over the next 10 years. When finalized and implemented, the directive will regulate thermal in situ oil sands operations in all oil sands areas. The proposed directive will require in situ operators to limit the use of fresh and brackish water resources and maximize produced water recycling, improve the measurement and reporting of all major water streams, and minimize the disposal of water to improve water and energy efficiency and reduce the risk of contamination to water resources. This draft directive represents one step towards achieving an overall provincial target of a 30 per cent improvement in water efficiency and productivity by 2015 (from a 2005 baseline), as set out in Water for Life: Alberta's Strategy for Sustainability. To view the draft directive, please visit www.ercb.ca or www. environment,alberta.ca.

The Government of Alberta has announced a new three-point incentive program designed to help keep Albertans working in the province's energy sector during the current global economic slowdown.

The highlights of the province's three-point plan include the following.

A drilling royalty credit for new conventional oil and natural gas wells. This one-year program will provide a royalty credit of \$200 per metre drilled to companies on a sliding scale based on their production levels from last year. This will ensure that the maximum benefits will be available for small and mid-sized producers, while freeing up available capital for all companies.



- 2 A new well incentive program, which offers a maximum five per cent royalty rate for the first year of production from new oil or gas wells. This one-year program is intended to help free up cash flow, and in turn, help provide access to the capital necessary for reinvestment by Alberta's oil and gas industry.
- To encourage the cleanup of inactive oil and gas wells, the province will invest \$30 million in a fund committed to abandoning and reclaiming old wellsites. This will reduce the environmental footprint of the energy sector by returning wellsites to their former states, while also helping to keep industry service crews at work.

Alberta Energy Research Institute (AERI) has entered into the second phase of the Hydrocarbon Upgrading Demonstration Program (HUDP). The HUDP supports selected joint Alberta governmentindustry initiatives to develop and demonstrate advanced technologies for upgrading Alberta's coal, bitumen, and heavy oil resources to high-value products. The first phase of the HUDP, completed in mid-2006, identified an initial set of technologies with the best potential for further development and demonstration. The second phase of the plan is to develop and demonstrate next generation "clean" upgrading technologies as they apply to Alberta hydrocarbons such as oil sands, coal, and petroleum coke. For more information about the HUDP program please visit www.aeri.ab.ca.

The 9th annual National Buyer/Seller Forum, a joint government/industry supply chain development initiative, was held in Edmonton on Feb. 10-12. Over 700 oil sands developers, manufacturers, and suppliers from across Canada and the globe met to generate new business and share best practices in the oil sands sector. Presenters included Premier Ed Stelmach, as well as Alberta oil sands industry representatives and stakeholders. Speakers shared insights on oil sands development, how it is being managed from public and private sector perspectives, and how new economic realities are affecting the industry. Alberta's oil sands strategy Responsible Actions: A Plan for Alberta's Oil Sands was announced at the forum. •



What's new in the oil sands

Key updates from Spring 2009



IIII Suncor Energy and **Petro-Canada** have announced that they have agreed to merge.

Upon completion of the transaction, the parties have agreed the combined entity will operate corporately and trade under the Suncor name, while maintaining the strong brand presence and customer loyalty of Petro-Canada in refined products.

"This merger creates a made-in-Canada energy leader with the assets, cost structure and financial strength to compete globally," said Rick George, who is president and chief executive officer of Suncor and who will assume the same role with the merged entity. "The combined portfolio boasts the largest oilsands resource position, a strong Canadian downstream brand, solid

conventional exploration and production assets, and low-cost production from Canada's east coast and internationally."

IIII Canadian Natural Resources has announced first production of synthetic crude oil from the Horizon oil sands project. The company says that while production history is short, all operating units appear to be performing at design capacity. "In the immediate term, we will focus on stabilizing performance and filling the product tanks in preparation for blending and introducing first synthetic crude oil into the Horizon pipeline for shipment to Edmonton and ultimate sale."

At the same time, Canadian Natural reported it is reducing its 2009 capital budget by another \$800 million, dropping it to \$3.2 billion, down from the already-reduced \$4 billion announced in November 2008.

IIII Nexen has signed an agreement to acquire an additional 15 per cent interest in the Long Lake project and the joint-venture lands from Opti Canada. Nexen will also become operator of the upgrader.

IIII Petrobank Energy and Resources has filed its application for the May River project with the Energy Resources Conservation Board and Alberta Environment.

May River is a 10,000 barrel per day toe-to-heel air injection (THAI) commercial demonstration project to be developed on the company's Whitesands

leases located two kilometres from the current pilot project site.

amulti-year construction contract to provide well pads and pipelines for cyclic steam stimulation (CSS) facilities in northeastern Alberta.

The contract is with a major oil and gas company and is valued at approximately \$16 million to \$18 million annually under an "evergreen term," which allows for the contract to continue into the future based on mutually agreed upon conditions.

IIII Oil sands mining companies that trade shares in the United States can book their reserves as oil instead of mining reserves, which was previously the case, starting Jan. 1, 2010 and applicable for 2009.

The U.S. Securities and Exchange Commission announced at the end of December 2008 that it was updating some of its rules to "help ensure more meaningful and comprehensive disclosure of information that, even though it does not appear on a company's balance sheet, is of significance to investors in making informed investment decisions."

The Canadian Association of Petroleum Producers (CAPP) has been asking for this for three years, and although ultimately it doesn't change much for producers, it does clarify things for investors and more closely aligns Canadian and U.S. rules in annual reports, said Greg Stringham, CAPP's vice-president of oil sands and markets.

IIII Four oil sands mining companies are reducing until further notice their withdrawals of water from the Athabasca River, which is experiencing naturally occurring low flows.

The companies—Canadian Natural Resources, Royal Dutch Shell, Suncor Energy, and Syncrude Canada—were directed to do so by the Alberta government on Jan. 19.

Alberta Environment statistics show water flow levels have dropped into the yellow warning zone as determined by the Water Management Framework, introduced in 2007.

steaming and attendant production ramp-up of its Great Divide Pod One steam assisted gravity drainage project.



The company said it expects to reach pre-curtailment bitumen production levels of approximately 9,000 barrels per day by the end of February, after previously cutting production due to market conditions.

Connacher has also publicly disclosed a proposed expansion to its in situ operations, with an eye to combined production of 44,000 barrels per day in 2012.

- has approved the **Sturgeon** upgrader, attaching 13 conditions to the planned facility, which was put on hold late last year by its proponents (Petro-Canada, UTS Energy, and Teck Cominco).
- IIII Nexen has announced first production of Premium Sweet Crude (PSC) from its upgrader at Long Lake, Alberta.

The upgrader is expected to ramp-up to full design rates of approximately 60,000 barrels per day of PSC over the next 12 to 18 months.

IIII North Peace Energy has announced that steam injection has commenced on the L1 horizontal well at its Red Earth CSS pilot.

The steam injection phase is expected to last six to eight weeks after which the well will be put on production for six to nine months. After the production period, the steam injection will be repeated and followed by another production period. As well, following the steam injection of the L1 well, steam injection will commence on the L2 well followed by its production cycle.

III Husky Energy says a small pilot proposed for McMullen may aid development of other thin bitumen reservoirs. The company is seeking Alberta Energy Resources Conservation Board and Alberta Environment approval for a steam assisted gravity drainage pilot to produce up to 755 barrels of bitumen per day.

The target bitumen reservoir is the Wabiskaw member of the Clearwater formation. The net pay thicknesses is about 10 to 16.5 metres. Pending regulatory approval, drilling and construction of well pads and surface facilities would start in June and will be completed by year's end. The pilot would run for three to five years.

III An Alberta Cancer Board study of the cancer incidence in Fort Chipewyan, a small community on the Athabasca River downstream of Fort McMurray, has found that the rates for some cancers are higher



than might be expected, although overall findings show no cause for alarm.

The overall findings, which are based on a small number of cases, show no cause for alarm, Dr. Tony Fields, vice-president, Cancer Corridor for Alberta Health Services, said Friday in a news conference to release the findings of the study. "They do, however, point to the need for some further investigation."

IBII The Alberta and Canada governments have laid charges against Syncrude Canada for failing to have appropriate deterrents in place at a tailings pond at its Aurora North Site mine facility last spring.

The charges result from an incident on April 28, 2008, where approximately 500 migratory waterfowl died after landing on a tailings pond at the facility north of Fort McMurray.

The federal government's maximum penalty under the Migratory Bird Conservation Act is \$300,000. The Alberta government's fine, under the Alberta Environmental Protection and Enhancement Act, is a maximum of \$500,000.



Project listing

Updated status of oil sands projects in Alberta As of Mar. 13, 2009 with files from Strategy West.

TECHNOLOGY LEGEND

CSS Cyclic steam stimulation

COGD Combustion overhead garvity drainage ET-DSP Electro-thermal dynamic stripping process

N-SOLV Heated solvent vapour extraction
SAGD Steam assisted gravity drainage
THAI Toe to heel air injection

COMPANY	CURRENT PROJECT	CAPACITY (NAVO)	11.11	REGULATORY STATUS	DEVELOPMENT PROCRESS	TECHNOLOGY
ATHABASCA	REGION - IN	SITU	agestin a constru	ang ang at ang tang ang ang ang ang ang ang ang ang ang	Maria Barra da Maria da Maria Maria Maria da Maria	1 1
ALBERTA OILSANDS		BN 5-25	The sale			
Clearwater	Pilot	2,000	010/11	Announced	The company has completed its winter drilling program of eight wells, reports confirmation of high-quality bitumen thickness averaging 40 metres. Alberta Oilsands has also conducted cap rock integrity testing, and is proceeding with its application.	SAGD
	Commercial Project	10,000	2012	Announced	Application to be filed in 2009.	SAGD
ATHABASCA OIL SAI	NDS					
Dover	Pilot	1,000-2,000	TBD	Applied	Regulatory application submitted Oct. 22, 2008.	SAGD
MacKay	Pîlot	2,200	TED	Applied	Regulatory application submitted Jun. 2, 2008.	SAGD
CANADIAN NATURA	LRESOURCES					
Birch Mountain	Phose 1	60,000	TBD	Announced		TBA
Gregoire Lake	Phase 1	60,000	TBD	Announced		TBA
Grouse	Phose 1	60,000	TBD	Announced		TBA
Kirby	Phase 1	45,000	TBD	Applied	Final corporate sanction and project scope will be impacted by environmental regulations and their associated costs.	SAGD
Leismer	Phase 1	30,000	TBD	Announced		TBA
CHEVRON CANADA						
Ells River		100,000	2015	* Announced	Chevron is looking at "a range of thermal and enhanced recovery technologies."	ТВА
CONNACHER OIL AN	D GAS			The state of		The state of
	Pod 1	10,000	2007	Operating		SAGD
Great Divide	Pod 2 (Algar)	10,000	2009	Approved	Construction temporarily suspended.	SAGD
	Expansion	24,000	3012	Disclosed	Public disclosure issued March 2009.	SAGD
CONOCOPHILLIPS CA	ANADA	THE PROPERTY				
Surmont	Phase 1	27,000	2008	Operating		SAGD
	Phase 2	83,000	2013	Approved	Engineering underway.	SAGD
DEVON CANADA		11151			Michigan Color Barrier State Color State C	
Jockfish	Phase 1	35,000	2008	Operating	Sustained steam injection since August 2007. Production ramping up.	SAGD
NORTH AND DESCRIPTION OF THE PARTY OF THE PA	Phose 2	35,000	2011	Approved	Construction underway.	SAGD
ENCANA	Phase 1	DE DOO	TBO TO			92.55
Borealis	2	35,000		Applied		SAGD *
Boreous	Phase 2	32,500	TBD	Announced		SAGD
AND THE PERSON NAMED IN	Phase 3	32,500	TBD (Announced	Combined and union from Christina Labo and Easter Crock in any object	SAGD
	Phase 1A	10,000	2002	Operating	Combined production from Christina Lake and Foster Creek is now about 63,000 barrels per day.	SAGD
	Phase 1B	8,800	2008	Operating	Construction complete. Steaming underway.	SAGD
	Phase 1C	40,000	3010	Under construction		SAGD
	Phase 1D	40,000	IBO 3	Approved		SAGD
Christina Lake	Unnamed Expansion 1	30,000	(CGE)	Announced		SAGD
Take Mark	Unnamed Expansion 2	30,000	TBO	Announced		SAGD
	Unnamed Expansion 3	30,000	IBD	Announced		SAGD
	Unnamed Expansion 4	30,000	TBD	Announced		SAGD
	Unnamed Expansion 5	30,000	TBO	Announced		SAGD
Foster Creek	Phase 1A	24,000	2001		The state of the s	5,3500
	200		CONTRACTOR OF THE PARTY OF THE	Operating		SACD
	Debottlenecking	6,000	2003	Operating	English of the Arthur State of Arthur	SAGD
	Phase 1C — Stage 1	10,000	2005	Operating		SAGD
	Phase 1C — Stage 2	20,000	20.07%	Operating		SAGD

COMPANY	CURRENT PROJECT	CAPACITY (bbl/d)	57/110 120	REGULATORY, STATUS	DEVELOPMENT PROGRESS	TECHNOL
	Phase 1D	30,000	2009	Under		SAGD
Foster Creek (cont'd)	Phase 1E	30,000	2009	Construction Under		SAGD
	Phase 1F	30,000	TBD	Construction Application		SAGD
ENERPLUS RESOURCES	1	SUSSEC. 255				
	Phase 1	10,000	TBO:	Application	Secretary and the second secretary and the second s	SAGD
Kirby	Phase 2	25,000	TBO	Announced		SAGD
E-T ENERGY					NAME OF THE PARTY	3,00
Poplar Creek		1,000	2006	Approved	Expanded field test underway and planning for commercial implementation of ET-DSP (production using electrodes).	ET-DSP
EXCELSIOR ENERGY		STATE OF THE PARTY			1000 1000 1000 1000 1000 1000 1000 100	100
Hangingstone	Phase 1	10,000	2011	Announced	Excelsior says it will test a proprietary process called combustion overhead gravity drainage (COGD) on its leases.	COGD
GRIZZLY OIL SANDS			833			
Algar Lake		10,000	TBD	Announced		SAGD
HUSKY ENERGY		STATE OF THE PARTY	1 1 1 1			
McMullen	Pilot	775	TBD	Application		SAGD
	Phase 1	50,000	TBD	Approved	Husky is "optimizing development planning." Final approvals expected in first half of 2010.	SAGD
Sunnise	Phose 2	50,000	TBD .	Approved		SAGD
	Phase 3	50,000	TBD	Approved		SAGD
IVANHOE ENERGY	Phase 4	50,000	TBO	Approved	ESTABLISHED TO THE TOTAL PROPERTY OF THE PROPE	SAGD
Tomorack	SAGD with HTL upgrading	20,000	2014	Announced	First commercial-scale project using HTL upgrading. Regulatory applications to be filed by mid-2010.	
JAPAN CANADA OIL SA	NDS	NEWSTITE OF	0.500		THE RESERVE OF THE PERSON OF T	
Hangingstone	Pilot	10,000	2002	Operating		SAGD
	Phase 1	35,000	TBD	Disclosed		SAGD
KOREA NATIONAL OIL	CORPORATION					
BlockGeld	Phase 1	10,000	TBD	Application		SAGD
	Phase 2	20,000	TBD	Announced	STATE OF THE PARTY	SAGD
LARICINA ENERGY	4400 4	Message 11				
Germain	SAGD pilot	600	TBD	Application		SAGD
	Phase 1 Carbonate SAGD	10,000	TBD	Announced		SAGD
Saleski	demonstration	1,200	TBD	Application		SAGD
	Phase 1	10,000	TBD	Announced		SAGD
MEG ENERGY		1200			Contract of the Contract of th	200
	Phase 1	3,000	2008	Operating	Production commenced April 2008.	SAGD
The state of the s	Phase 2	22,000	Q1 2009	Approved	Construction nearing completion.	SAGD
Christina Lake	Phase 28	35,000	TBD	Application		SAGD
	Phase 3A	75,000	TBO	Announced	Application filed April 2008.	SAGD
ALCONOMIC PROPERTY.	Phase 38	75,000	TBD	Announced		SAGD
NEXEN		10000000	Section 1		CONTRACTOR OF THE PROPERTY OF	
	Phase 1	72,000	2007	Operating	First production of synthetic crude achieved.	SAGD
Long Lake	Phase 2	72,000	TBD	Announced	Sanctioning deferred until late 2009.	SAGD
	Phase 3	72,000	TBD	Announced		SAGD
	Phase 4		TBD	Announced		SAGD
Lang Lake South	Phase 1	70,000	TBD	Approved		SAGD
Long Lake South	Phase 2	70,000	TBD	Approved		SAGD

COMPANY	CURRENT PROJECT	CAPACITY (bbl/d)	Stellie	REGULATORY STATUS	DEVELOPMENT PROGRESS	TECHNOL
N-SOLV			100	1.5 2882		
对对原理。2008年	Pilot plant	2,000	TBD	Announced	Enbridge and Hatch Energy are minority shareholders in the company.	N-SOLV
PATCH INTERNATIONA	L .				SECTION OF THE PROPERTY OF THE	
Ells River		10,000	TBD	Announced	The company has indicated it is for sale.	SAGD
PETROBANK ENERGY	AND RESOURCES					
Whitesonds	Pilot	1,900	2006	Operating		THAI
	Expansion	1,900	2008	Approved		THAI
May River	Phase 1	10,000	TBD	Applied	Engineering firm Vista Projects has been awarded FEED services to Petrobank for the wellpad and pipeline package of May River.	THAI
	Subsequent Phases	90,000	IBD	Disclosed		
ETRO-CANADA		1000 PER 100				
hard	Phase 1	40,000	TBD	Announced		SAGD
	Phase 1	40,000	TBD	Disclosed	No.	SAGD
ews.	Phase 2	40,000	(BD	Disclosed		SAGD
	Phase 1	33,000	2002	Operating		SAGD
tacKay River	Phase 2	40,000	2012	Approved	Regulatory approval granted in Q1 2008. Final investment decision expected in the first quarter of 2009. "Design refinement" continues.	SAGD
	Phase 1	40,000	TBD	Approved		SAGD
leadow Creek	Phase 2	40,000	TED	Approved		SAGD
ERRANO ENERGY		10,000			THE PROPERTY OF STATE OF THE PARTY OF THE PA	JACO
lackrod	Pilot	500	2009	Application	Serrano has closed its transfer of 15 per cent of its working interest in Blackrod to parent company Pearl Exploration. Ownership is now 20 per cent Serrano and 80 per cent Pearl.	SAGD
OUTHERN PACIFIC RES	OURCES	The same				
TP McKay		10,000	TBD	Announced	Southern Pacific reports its winter program is on time and under budget, including stratigraphic hole drilling, water source well drilling, geotechnical analysis, cap rock integrity study, and environmental data collection.	SAGD
TATOILHYDRO CANAI	DA .				加速程序设计器 的复数形式 计图像表面图象	
of Kos Dehseh-Leismer	Demonstration	10,000	2009	Under		SAGD
AND MAKE	Commercial	20,000	TBD	Applied		SAGD
eismer	Expansion	20,000	TBD	Applied		SAGD
omer		40,000	TBD 44	Applied		SAGD
hombury		40,000	TBD	Applied		SAGD
orner	Expansion	40,000	TBD	Applied		1000
ongingstone		20,000	TBD	Applied		SAGD
hombury	Expansion	20,000	TBD	Applied		SAGD
orthwest Leismer	Expension	20,000	TBD	Applied		SAGD
outh Leismer		20,000	TBD			SAGD
UNCOR ENERGY	-	CATELET EN		Applied		SAGD
	Phase 1	33,000	2004	Operating		SAGD
	Phase 2	35,000	2006	Operating		SAGD
	Cogeneration and	25,000	2007	Operating		SAGD
	Expansion Phase 3	52,500	TBD	Suspended	Construction being wound down into "safe mode," waiting out economy.	SAGD
rebag	Phase 4	62,500	TBD	Application	and a suit of the	SAGD
	Phase 5	62,500	TBD	Application		SAGD
	Phase 6	62,500	TBD	Application		SAGD
	Stages 3-6 Debottlenecking	23,500	TBO	Application		SAGD
UNSHINE OIL SANDS		685 F51	9.538			
Section 2015	Phase 1	10,000	TBD	Announced		SAGD
est Elis	Phase 2	30,000	TBD	Announced		SAGD
	Phase 3	25,000	ТВО	Announced		SAGD
Manual Control	Phase 1	10,000	TBD	Announced		SAGD
hickwood	Phase 2	30,000	ТВО	Announced		SAGD
PART OF THE PART O	Phase 3	25,000	TBD	Announced		SAGD

COMPANY	CURRENT PROJECT	CAPACITY (bbl/d)	STARTE.	REGULATORY STATUS	DEVELOPMENT PROCRESS	TECHNOLOG
TOTAL E&P CANADA		\$\$\$\$500		-		
FREE BOOK IN	Phase 1	2,000	2004	Operating		SAGD
Joslyn	Phase 2	10,000	2006	Operating		SAGD
Colym	Phose 3A	15,000	TBD	Withdrawn		SAGD
经验证的	Phase 3B	15,000	TBD	Disclosure		SAGD
VALUE CREATION GRO	OUP	B850000			OF THE REPORT OF THE PROPERTY OF AN AREA	
1000	Plot	10,000	TRO	Application		SAGD
Terre de Groce	Phase 1	40,000	TBO	Applied		SAGD
	Phose 2	40,000	TBO	Announced		SAGD
ATHABASCA	REGION - MIN	ING		and the second		1.2
ATHABASCA OIL SAN	DS PROJECT	CONTRACTOR OF THE PARTY OF THE	Part of the same of	Property of	THE STREET AND DESIGNATION OF THE PERSON OF	
No. of the last of	Phase 1A	100 000	2010	Under	BOOK OF THE RESIDENCE OF THE PROPERTY OF THE P	
Jackpine			2010	construction		Mining
	Phase 1B	100,000	TBO	Approved		Mining
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Phase 2	100,000	TBO	Application		Mining
Muskeg River	Existing Facilities	155,000	2002	Operating		Mining
Mark Alexander	Expansion and Debottlenecking	115,000	TBO	Approved	Final investment decision delayed.	Mining
TO SERVICE SE	Phase 1	100,000	TBO	Applied		
Pierre River	Phase 2	100,000	TBD	Applied		Mining
CANADIAN NATURAL		\$5000 CTC20	122.00	Туртси	STATE OF THE PARTY	Mining
6.19 (1.33) (1.43)	Phase 1	135,000	2008	Operating	First synthetic crude oil production achieved.	1111
	Phoses 2 and 3	135,000	TBD	Approved	risk synthetic crope on production occaeved.	Mining
Horizon	Phose 4	145,000	TBD	Announced		Mining
ON CALLED	Phase 5	162,000	TBO	Announced		Mining
IMPERIAL OIL		BS97	1139		SERVICE TO SERVICE THE SERVICE OF TH	Mining
	Phose 1	100,000	TBD	Approved	Imperial has awarded AMEC the contract for phase one engineering, procurement, and construction management. AMEC already undertook	Mining
Kearl	Phase 2	100.000	10000000		Kearl's FEED.	18831
	Phase 3	100,000	TBD	Approved		Mining
PETRO-CANADA	Priose's	100,000	TBD	Approved	CONTRACTOR OF THE PARTY OF THE	Mining
Notice to the second	Phase 1	165,000	TBD	A	Final investment designs date of Council and Council a	
Fort Hills	Debottlenecking	25,000	TBD	Approved	Final investment decision delayed. Expected now some time in 2009.	Mining
SUNCOR ENERGY	Debottlericking	23,000	100	Approved		Mining
	Millennium	294,000	1967	Operative		
	Steepbank		10000000	Operating		Mining
	Debottleneck Phase 3	4,000	7007	Operating		Mining
	Millennium Debottlenecking	23,000	2008	Operating		Mining
	North Steepbank			Under		- 100
	Extension		2010	construction		Mining
Voyageur South	Phase 1	120,000	TBD	Applied		Mining
SYNCRUDE (MILDRED	CONTRACTOR OF THE PARTY OF THE	Mark Land				
A CONTRACTOR OF THE PARTY OF TH	Stages 1 and 2	290,700	1978	Operating		Mining
	Stage 3 Expansion	116,300	2006	Operating		Mining
	Stage 3 Debattieneck	46,500	TRO	Announced		Mining
	Stage 4 Expansion	139,500	TBO	Announced		Mining
TOTAL E&P CANADA		Bullen,	41303	244		2 12
	Phase 1 (North)	50,000	TED	Applied		Mining
oslyn	Phase 2 (North)	50,000	TBD	Applied		Mining
	Phose 3 (South)	50,000	TBD	Announced		Mining
	Phase 4 (South)	50,000	TBD	Announced		Mining
Northern Lights	Phase 1 Phase 2	57,250	TBO	Application		Mining
JTS/TECK COMINCO	Filuse 2	57,250	TBD	Application		Mining
quinox (previously				Public		
		50,000	TBD	Public disclosure	Regulatory application expected in mid-2009.	Mining
known as Lease 14)						
rontier	Phase 1	100,000	TBD	Public disclosure	Regulatory application expected in mid-2010.	Mining

COMPANY	CURRENT PROJECT	CAPACITY (NoVII)	Silver	REGULATORY STATUS	DEVELOPMENT PROGRESS	TECHNOLOGY
COLD LAKE	REGION - IN SI	ITU .	A graduated decreases and the		and the second s	satisfic to the street
BR OIL SANDS (SHE	LL)	200	- Chart			
Orion	Phase 1	10,000	2008	Operating		SAGD
	Phase 2	10,000	TBD	Approved		SAGD
CANADIAN NATUR	222					
NUMBER OF STREET	Wolf Lake Wolf Lake SAGD	13,000	1985	Operating		CSS
	Primrose South	5,500 45,000	TRD 1985	Application		SAGD
	Primrose North	30,000	2006	Operating Operating		CSS
(C. C. C. C. S.	Primrose East	32,000	2009	Operating		
AND AVERAGE SHARE	(Burnt Lake)		710000			CSS
HUSKY ENERGY	CSS Follow-up Process	25,000	TBD	Application	STATE OF THE STATE	CSS
Corbou	Demonstration Project	10,000	780			1000000
SERVICE TO SERVICE		10,000	e character	Approved	Additional deliting will make their not good on and and the second	SAGD
Tucker	Phase 1	30,000	2006	Operating	Additional drilling will most likely not continue until market conditions improve.	SAGD
IMPERIAL OIL		igeria.		SEE	智能的 经抵押证据 医胃肠管肠 管	
	Phases 1-10: Leming, Maskwa, Mahihkan	110,000	1985	Operating		CSS
	Phases 11-13: Mahkeses	30,000	2003	Operating		CSS
	Phases 14-16: Nabiye,	30,000	TBD	Approved		100
KOCH EXPLORATIO	Mahihkan North	20,000	100	Approved	SAN A SAME THE THE SHEET OF SAN TRANSPORT OF SAN TRANSPORT	CSS
ROCHEXPLORATIO	N CANADA		and the same		Koch is in very early stages of development. Detailed engineering and	90 and
Gemini	SAGD Project	10,000	TBD	Announced	environmental studies will be done, and Koch says community feedback will	SAGD
OSUM OIL SANDS		NULTURE OF S			help determine the scope.	
MINISTER STATES	200	25,000-				
. Taiga	SAGD Project	35,000	2014	Disclosed	Osum has issued its public disclosure document and started open houses.	SAGD
PENGROWTH ENER	GY TRUST		11			
Lindbergh	SAGD Pilot	2,500	TBD	Application		SAGD
PEACE RIVE	R REGION - IN	SITU			the contract of the second	
ANDORA ENERGY (PAN ORIENT)		12 3 X X			1
Sown Lake	SAGD Demonstration	1,400	TBD	Application	If the demonstration plant meets Andora's expectations, a full-scale	SAGD
NORTH PEACE ENER	GY	LIST CYAS			development would follow.	JAGD
	CSS Pilot	1,001	2008	Operating	First steam achieved.	-
	Phose 1	10,000	2013	Announced	First Steam GUNEVEG.	CSS
Red Earth	Phase 2	10,000	TBD	Announced		CSS
5.000	Phase 3	10,000	TBD	Announced		CSS
PENN WEST ENERGY	TRUST	WE COL		1 Japan Ja		78
Seal	CSS Pilot	75	TBD	Application		CSS
SHELL CANADA				विकास में		
	Cadotte Lake	12,501	1986	Operating		CSS
Carmon Creek	Phase 1	37,500	TBD	Withdrawn	Shell has withdrawn its application, and is conducting an internal review of the project. Will submit a new application in 2009.	CSS
	Phase 2	50,000	TBD	Withdrawn		CSS
ATHABASCA	REGION - UPGI	RADING	agan tilosii		Committee of the commit	10 10 10 10 10 10 10 10 10 10 10 10 10 1
CANADIAN NATURA				23523.15		
	69		Topacasa	13548a 1		
	Phase 1	135,000	2008	Operating	First production of synthetic crude oil achieved.	Upgrader
Horizon	Phases 2 and 3	135,000	TBD	Approved		Upgrader
	Phase 4	145,000	TBO	Announced		Upgrader
	Phase 5	162,000	TBD	Announced		
NEXEN		SPECIAL DE		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Upgruder
110000000000000000000000000000000000000	Phase 1	72,000	2009	Oncerti	First production of synthetic crude achieved. Nexen is now operator of the	75533565
Long Lake			2008	Operating .	upgrader as well as the SAGD project.	Upgrader
	Phase 2	72,000	TBO	Approved	Sanction deferred until late 2009.	Upgrader
	Phase 3	72,000	TBD			

COMPANY	CURRENT PROJECT	CAPACITY (bbl/d)	START	REGULATORY STATUS	DEVELOPMENT PROGRESS TECHNOLOG
12	Phase 4	72,000	TBD	Announced	Upgrader
Lung Lake (cont'd)	Phase 5	72,000	TBD	Announced	Upgrader
	Phase 6	72,000	TBD	Announced	Upgrader
SUNCORENERGY	Reself and 17	201.000	1067		
	Base U1 and U2 Millennium Vacuum Unit	281,000 43,000	1967	Operating Operating	Upgrader
	Millennium Coker Unit	116,000	2008	Operating	Upgrader Upgrader
E DIS STATE OF	Phase 1	156,000	TBD		Voyageur construction being wound down to "safe made " wniting out
Voyageur				Approved	the economy.
SYNCRUDE	Phase 2	78,000	TBD	Approved	Upgrader
STATE OF THE STATE	Stages 1 and 2	290,700	1978	Operation	
	Stage 3 Expansion	116,300	2006	Operating Operating	Syncrude emissions reduction project continues. Upgrader
Mildred Lake	Stage 3 Debottleneck	46,500	TBO	Announced	Upgrader Detailed engineering underway. Upgrader
THE REPORT OF	Stage 4 Expansion	139,500	TBD	Announced	Detailed engineering underway. Upgrader
INDUSTRIAL	HEARTLAND R	EGION -	UPGR	ADING A	ND REFINING
ATHABASCA OIL SAND	SPROIFCT	SCHOOL SECTION			CONTROL OF THE PROPERTY OF THE
		155,000	2003	Operating	
Scotford Upgrader 1	Expansion	90,000	2010	Under	Upgrader
A COMPANSOR OF THE			300000000000000000000000000000000000000	construction	Upgrader
	Phase 1 Phase 2	100,000	TBD	Applied	Upgrader
Scotford Upgrader 2	Phase 3	100,000	TBD	Application Application	Upgrader
	Phase 4	100,000	TBD	Application	
BA ENERGY		NACTOR OF	100		· 新国的中国共享的企业。
(4) (4) (4)				**************************************	BA Energy owner Value Creation has shelved the Heartland Upgrader and
	Phase 1	54,400	TBD	Approved	says it will be up to four years before it will revisit the project. BA Energy has Upgrader been granted court protection from its creditors.
Heartland Upgrader	Phose 2	54,400	TBD	Approved	Upgrader
	Phase 3	54,400	TBD	Approved	Upgrader
NORTH WEST UPGRAD	ING			-412	POLOGO DE LOS DEL COMPONIONES DEL COMPONIONES DE LOS DEL COMPONIONES DE LOS DEL COMPONIONES DE LOS DEL COMPONIONES DEL COMPONIONES DE LOS DEL COMPONIONES DE LOS DEL COMPONIONES DEL COMPONIONES DE LOS DEL COMPONIONES DE LOS DEL COMPONIONES DE LOS DEL COMPONIONES DEL COM
· · · · · · · · · · · · · · · · · · ·	Phase 1	50,000	TBD	Approved	Site preparation complete. Focus is on commercial agreements. Upgrader
Upgroder	Phase 2	50,000	TBD	Approved	Upgrader
	Phase 3	50,000	TBD	Approved	Upgrader
PETRO-CANADA				1200-00-00	的现在分词是不是有一种思想的情况是
Fort Hills Upgrader	Phase 1	165,000	TBD	Approved	Construction decision on Fort Hills upgrader has been deferred. Upgrader
	Phases 2 and 3	175,000	TBO	Approved	Upgrader
Strathcona Refinery Conversion		135,000	2008	Approved	Construction complete. Ramp-up continues. Upgrader
STATOILHYDRO CANAD)A				PERSONAL PROPERTY OF THE PERSON OF THE PERSO
	Phose 1	75,000	TBD	Withdrawn	Harrier Land Control of the Control
Statoill tydro Upgrader	Phase 2	175,000	TBD	Withdrawn	Upgrader
TOTAL EMP CANADA					opyrader
Northern Lights	Phase 1	56,600	TEO	Withdrawn	Total E&P now owns Syneco. Upgrader
Upgrader	Phase 2	56,600	TBD	Withdrawn	Upgrader
	Phase 1	150,000	TBD	Application	Upgrader
Total Upgrader	Phase 2	95,000	TBD	Application	
	Debottlenecking	50.000	TBD	Application	Upgrader
VALUE CREATION		W. C. C. C. V.		- Prication	Service of the service of the service of
MIGHT PROPERTY	Pilot	10.000	TBD	Application	Upgrader
Terre de Grace Upgrader	Phase 1	40,000	TBD	Announced	
STATE OF THE PARTY		40,000	TBD	Announced	Upgroder Upgroder
	Phase 2		SECTION STREET		Upgrader
PEACE BLVES	AND DESCRIPTION OF THE PARTY OF		a. Sining		
	Phase 2 REGION - UPC		S .		angan terbagai di Kebupatèn Jawa Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupat Kabupatèn Kabupatèn
	REGION - UPC	RADINO	MANUEL .		STATE OF STA
	REGION - UPO	50,000	TBD	Announced	Upgrader
PEACE RIVER PEACERIVER OIL Bluesky Refining	REGION - UPC	RADINO	MANUEL .	Announced Announced Announced	STATE OF STA



Glossary of oil sands terms

API

An American Petroleum Institute measure of liquid gravity. Water is 10 degrees API, and a typical light crude is from 35 to 40. Bitumen is 7.5 to 8.5.

Barre

The traditional measurement for crude oil volumes. One barrel equals 42 US gallons (159 litres). There are 6.29 barrels in one cubic metre of oil.

Bitumen

Naturally occurring, viscous mixture of hydrocarbons that contains high levels of sulphur and nitrogen compounds. In its natural state, it is not recoverable at a commercial rate through a well because it is too thick to flow. Bitumen typically makes up about 10 per cent by weight of oilsand, but saturation varies.

Condensate

Mixture of extremely light hydrocarbons recoverable from gas reservoirs. Condensate is also referred to as a natural gas liquid, and is used as a diluent to reduce bitumen viscosity for pipeline transportation.

Cyclic steam stimulation

For several weeks, high-pressure steam is injected into the formation to soften the oilsand before being pumped to the surface for separation. The pressure created in the underground environment causes formation cracks that help move the bitumen to producing wells. After a portion of the reservoir has been saturated, the steam is turned off and the reservoir is allowed to soak for several weeks. Then the production phase brings the bitumen to the surface.

Density

The heaviness of crude oil, indicating the proportion of large, carbon-rich molecules, generally measured in kilograms per cubic metre (kg/m³) or degrees on the American Petroleum Institute (API) gravity scale; in western Canada, oil up to 900 kg/m³ is considered light to medium crude—oil above this density is deemed as heavy oil or bitumen.

Diluent

see Condensate

Established recoverable reserves

Reserves recoverable under current technology and present and anticipated economic conditions, plus that portion of recoverable reserves that is interpreted to exist, based on geological, geophysical, or similar information, with reasonable certainty.

Established reserves

Reserves recoverable with current technology and present and anticipated economic conditions specifically proved by drilling, testing, or production, plus the portion of contiguous recoverable reserves that are interpreted to exist from geological, geophysical, or similar information with reasonable certainty.

Extraction

A process, unique to the oil sands industry, which separates the bitumen from the oilsand using hot water, steam, and caustic soda.

Froth treatment

The means to recover bitumen from the mixture of water, bitumen, and solids "froth" produced in hot water extraction (in mining-based recovery).

Gasification

A process to partially oxidize any hydrocarbon, typically heavy residues, to a mixture of hydrogen and carbon monoxide. Can be used to produce hydrogen and various energy byproducts.

Greenhouse gases

Gases commonly believed to be connected to climate change and global warming. CO₂ is the most common, but greenhouse gases also include other light hydrocarbons (such as methane) and nitrous oxide.

Initial established reserves

Established reserves prior to the deduction of any production.

Initial volume in place

The volume calculated or interpreted to exist in a reservoir before any volume has been produced.

in situ

Latin for "in place." In situ recovery refers to various methods used to recover deeply buried bitumen deposits.

In situ combustion

A displacement enhanced oil recovery method. It works by generating combustion gases (primarily CO and CO₂) downhole, which then "pushes" the oil towards the recovery well.

Lease

A legal document from the province of Alberta giving an operator the right to extract bitumen from the oilsand existing within the specified lease area. The land must be reclaimed and returned to the Crown at the end of operations.

Muskeg

A water-soaked layer of decaying plant material, one to three metres thick, found on top of the overburden.

Oil Sands

Bitumen-soaked sand, located in four geographic real and of Alberta

reconstruct. The Application deposit, is did largest, encompassing more than 42,440 square laterneties. Total deposits of bid imension Alberta are estimated at 17 to 2.5 trails as breaking.

Overhurde

At tyer of soind, gravel, and shale between the surface and the "underlying ailsand. Must be remove actore all sands can be mined.

Overburden underlies muskeg in page places.

Pilot plant

Small model plant for testing processes under actual product conditions.

Proven recoverable reserves

Reserves that have been proven through production or testing to be recoverable with existing technology and under present economic conditions.

Reclamation

Beturning disturbed land to a stable, biologically productive state, Reclaimed property is returned to the province of Alberta at the end of operations.

Romaining established reserves Initial reserves less cumulative production

Royalty

The Crown's share of production or revenue. About three quarters of Canadian crude oil is produced from lands, including the oil sands, on which the Crown holds mineral rights. The lease or permit between the developer and the Crown sets out the arrangements for sharing the

Steam assisted gravity draining

two closely spaced horizontal wells: one for steam injection and the other for production of the bitumen/water

Synthetic crude oil

of natured ctude oil coraprised of nature, distillate and boiling range material. Can range from high-quality, light sweet by thomless crude to heavy, sour hiends.

Talling:

A combination of water, sand, silt, and fine clay particles that is a byproduct of removing the bitumen from the ailsand.

Tollings settling basin

The primary purpose of the tailings settling basin is to serve as a process vessel allowing time for tailings water to clarify and silt and clay particles to settle, so the water can be reused in extraction. The settling basin also acts as a thickener, preparer mature fine tails for final reclamation.

Thermal recovery

Any process by which heat energy is used to reduce the viscosity of bitumen in situ to facilitate recovery

Toe-to-heel air injection (THAI)

An in situ combustion method for producing heavy oil and oilsand. In this technique, combustion starts from a vertical well, while the oil is produced from a horizontal well have a let to e in close proximity to the vertical air-injection well. This educin method!

Property of

very knietwicks. The trucks had the oilsand to dump pockets where it is conveyed or pipelined to the extraction plant. Trucks and shovels are more exact will to a nerote the trucks and draglines the have replaced at a

Upgrade

The process of converting heavy oil or bitumen into somethic and either through the removal of carbon (coking) or the addition of hydrogen (hydroconversion).

Vapour extraction (VAPEX)

VAPEX is a non-thermal recovery method that involves injecting a gaseous hydrocarbon solvent into the reservoir where it dissolves into the sludge-like oil, which becomes less viscous (or more fluid) before draining into a lower horizontal well and being extracted.

Viscosity

The ability of a liquid to flow. The lower the viscosity, the more easily the liquid will flow.

CONTACTS

The latest on oil sands proje

Oil Sands Producer

- · Alberta Oilsands
- · Albian Sands En
- · Athabasca Oil S

- nacher Oil e
- . Devon Canada
- Enerplus Resources Fu
- . E-T Energy
- Excelsior Energy
- Husky Energy
- · Imperial Oil · Ivanhoe Energy
- Japan Canada Oll Sands
- Korea National Oil Corporation
- Laricina Energy
- Marathon Oil MEG Energy

- StatoilHydro Co
- Suncor Energy

- Teck Cominco · Total E&P Canada
- · UTS Energy Value Creation Group

Associations/Organizations

- Alberta Building Trades Council
- Alberta Chamber of Resources
- Alberta Chambers of Commerce
- Alberta Energy Research Institute www.oeri.ab.ca
- Alberta Environment
- Alberta Research Council
- Alberta's Industrial
- artland Association
- dian Association of
- sical Contractors

- www.albertabuildingtrades.
- www.acr-alberta.com
- www.abchamber.ca www.energy.gov.ab.ca
- www.environment.alberta.ca
- www.arc.ab.ca

www.industrialheartla

www.cagc.ca

For more information, visit us at www.albertacanada.com

Published by



junewarren-nickle's

junewarren-nickles.com